		FIRST INFORMATION முதல் தக்வல் அறி (Under Section 154 Ci (கு.ந.வி.தொ.பிரிவு 154	<b>க்ஸக</b> r.P.C.)	INTEGRATED INVESTIGATION FO	
1.	District Directorate of UTUILLE Vigilance and (i) Act icanti-lomepha	காவல்நிலையம்	ஆண்டு	மு.த.அ. என்	Date 31.10.2019
	(ii) Act BLLID: Prevention (iii) Act BLLID: (Amendma	n of corruption	Sections பிரிவுக Sections பிரிவுக Sections பிரிவுக	eit: 7	÷
	(iv) Other Acts & Sections பிற சட்டங்களும், பிரிவுகளும் :				
3.	(a) Occurrence of Offence Day : குற்ற நிகழ்வு நாள் Time Period :	Date from 30.10.201 Блат (радо Тіте from	– நாள் வரை – – –	-10.2019 2.30 PM	
	நேர அளவு	Time from : நேரம் முதல்	Time to : நேரம் வரை		
	(b) Information Received at PS. Date : காவல் நிலையத்திற்கு தகவல் கிடைத்த j	31.10.2019	Тіте : 🕰	PM.	
	(c) General Diary Reference : Entry No பொது நாட்குறிப்பில் பதிவு விவரம் என்		Time : 🂪 Сруф	PM.	
4.	Type of Information : Written/ Oral : தகவலின் வகை : எழுத்து மூலம் / வாய்	Gunghuns			
5.	Place of Occurrence (a) Direction and Distance from PS: N ரு k East 14 kms. குற்ற நிகழ்விடம் (அ) காவல்நிலையத்திலிருந்து எவ்வளவு தூரமும், எத்திசையும்				
	Beat Number : முறைக் காவல் எண்	(b) Address: Chennen (psaif) Scivera Ngib Pu	Metropol ige Boas	tion Wate	er Supply &
	(c) In case outside limit of this Police Station, then the Name or P.S. Tock IPort, Schooner 600 002. இக்காவல் நிலைய எல்லைக்கப்பால் நடந்து இருக்குமாயின், அந்நிலையில் அந்த கா.நி.பெயர் மாவட்டம்				
6.	Complainant /Informant (a) Name Muscleed haran குற்றமுறையீட்டாளர்/ தகவல் தந்தவர் பெயர் Falorau		(b) Father's/ Husband's Name : T. Sri chavan தந்தை / கணவர் பெயர்		
	(c) Date / Year of Birth : நாள் / பிறந்த ஆண்டு	(d) Nationality <b>Ludicax</b> ธรณ์เฉลาทั่	(e) Passport No. வெளிநாட்டு கடவு		
	Date of Issue :	Place of Issue :			
	வழங்கப்பட்ட நாள்	வழங்கப்பட்ட இடம்			- 1.
	(f) Occupation : BLIS HOSS อฐญาณ	(g) Address : Door No. Waath Nolam!	Bz, Saki	lennal - E	, 2m Avenue,
7.	Details of Known/Suspected/Unknown கெரிந்க / உயப்பாட்டிந்குறிய / கெரியாக	accused with full particulars. (Att	ach separate shee		

(தேவையெனில் தனித்தாள இணைக்கவும்)

R. bijayakumari, SE, Southklest, CMHISSIS, Chennai-Z.

 Reasons for delay in reporting by the complainant / Informant: குற்றமுறையீட்டாளரால் / தகவல் கொடுப்பவரால் முறையிட்டதில் தகவல் கொடுப்பதில் தாமதம்

No delay

GCP-240-34(Type-2) 90,000 Cps -21 3 16(HCL-12)

- Particulars of properties stolen / involved (Attach separate sheet if necessary) களவாடப்பட்ட / களவிற்குள்ளான சொத்துக்களின் விவரம் (தேவையெனில் தனித் தானில் இணைக்கவும்)
- 10. Total value of properties stolen / involved : களவாடப்பட்ட / களவிற்குள்ளான சொத்துக்களின் மொத்த மதிப்பு
- 11. Inquest Report / Un-natural death Case No. if any: பின விசாரனை அறிக்கை / இயற்கைக்கு மாறான இறப்பு என் ஏதேனும் இருந்தால்
- FIR Contents (Attach separate sheet, if required) : முதல் தகவல் அறிக்கையின் கருக்கம். (தேவையெனில் தனித்தாளில் இணைக்கவும்)

Separate sheet is enclosed

FIR read over to the Complainant / Informant, admitted to be correctly recorded and a copy given to the Complainant / Informant free of cost.

மு.த.அ. குற்றமுறையீட்டாளருக்கு / தகவல் நந்தவருக்கு படித்துக்காட்டி, அது சரியாக எழுதப்பட்டு இருப்பதாக ஏற்றக் கொள்ளப்பட்டு, அதன் படி நகல் ஒன்ற இலவசமாக கொடுக்கப்பட்டது.

- 14. Signature / Thumb Impression of the Complainant / Informant குற்றமுறையீட்டாளர் / தகவல் கொடுப்பவரின் ஒப்பம் / பெருவிரல் இரேகைப் பதிவு 31 10 2017
- Date & Time of despatch to the court:
  நீதிமன்றத்திற்கு அனுப்பப்பட்ட நாளும், நோமும்

Signature of the Officer in-charge, Police Station காவல் நிலைய பொறுப்பு அனுவலரின் ஒப்பம்

(V.V. GAEETHANJALI) Name: Quut AIdISP Rank: Blane SIC No. stat DVAC, cliennai-16.

\* GCP-240-34(Type-2) 90,000 Cps 21 3 15(HCL-12)p 2

ஊழல் தடுப்பு மற்றும் கண்காணிப்புத் துறை தலைமையக குற்ற எண். 22/2019 பிரிவு 7 ஊழல் தடுப்பு திருத்த சட்டம் 2018 வழக்கின் முதல் தகவல் அறிக்கை வரிசை எண்.12ன் தொடர்ச்சி பின்வருமாறு.

ஊழல் தடுப்பு மற்றும் கண்காணிப்புத் துறை, சிறப்புப் புலனாய்வுப் பிரிவு, கூடுதல் காவல் கண்காணிப்பாளர் V.V.கீதாஞ்சலி ஆகிய நான் இன்று 31.10.2019 மாலை 4 மணியளவில் எனது அலுவலகத்தில் பணியிலிருந்தபோது சென்னை-95, நொளம்பூர், சக்தி நகர் 2வது அவன்யூ, கதவு எண்.82 என்ற முகவரியில் உள்ள போம்ரா திரிபுவன் ஒனர்ஸ் வெல்பர் அசோசியேசன், செயலாளராக இருக்கும் திரு.முரளிதரன் பலோரன் என்பவர் அலுவலகம் ஆஜராகி என்னிடம் எழுத்துபூர்வமான புகார் மனு ஒன்றை அளித்தார். அவர் அளித்த புகார் மனு விவரம் பின்வருமாறு

"31.10.2019

## From

Muraleedharan Paloran, Age.57, S/o T.Sridharan, Secretary, Fomra Tribhuvan Owners Welfare Association, D No. 82 Sakthi Nagar 2<sup>nd</sup> Ave, Nolambur, Chennai – 600 095.

## To

Directorate of Vigilance and Anti-Corruption, No.293, MKN Road, Alandur, Chennai – 600 016.

Respected Sir,

Sub: Compliant regarding demand for bribe by Mrs.R.Vijayakumari,
 SE, South West, 5<sup>th</sup> Floor, Chennai Metrowater & Sewarage
 Board, No.1 Pumping Station Road, Chindaripet,
 Chennai – 600 002 – Taking action – Requested – Reg.

\*\*\*\*\*

3

Myself Muraleedharan Paloran S/o Thiruvoth Sreedharan staying at Apt No: A2/C, Fomra Tribhuvan 82 Sakthi Nagar 2<sup>nd</sup> Ave, Nolambur, Chennai – 600 095 hereby submit as follows.

 I have been holding the office of Secretary, Fomra Tribhuvan Owners Welfare Association, 82 Sakthi Nagar, 2<sup>nd</sup> Ave, Nolambur, Chennai – 600 095 since April 2019 after election by General body of Residents association held in March 2019.

2) The said apartment complex was constructed by one Mr Sarath Fomra from whom myself and 93 other home owners have purchased the total of 94 flats from various periods from 2011 onwards. During the sale of these 94 apartments by the said Builder to the 94 flat owners, the builder collected Rs. 1,00,000/ (Rupees one lakh each) from the 94 owners towards TNEB, and Metrowater and Sewage connection. However he only provided TNEB connection. The Metrowater and Sewage connections were not provided. The waste water discharged is treated using STP (Sewage Treatment Plant) built inside the premises. The treated water used for watering gardening inside the compound. The excess treated water is disposed using wastewater tankers as the sludge generated from the treatment plant.

3) In April 2019 we came to know that Chennai Metrowater and Sewerage Board (CMWSSB) has laid main sewer line and water supply line in our neighbourhood and many of our neighbouring apartments has got the new sewer and water connection. We therefore made an application in the prescribed format along with all supporting documents to the Superintending Engineer (South West), 5<sup>th</sup> Floor, Chennai Metrowater & Sewerage Board No:1 Pumping Station Road, Chintadripet, Chennai – 600 002 on 29.07.2019. After scrutiny of the above application for obtaining new water and sewage connection our applications were accepted and we were asked to pay the required Infrastructure Development Charges and Connection charges. On 09.08.2019, we paid a total of Rs.37,42,500/-(Thirty seven lakh forty two thousand and five hundred only) through DD and receipt was issued by SE (South West) office. File numbers for application were for water connection, WA – 4661 and that for sewage connection SA – 4988 which were issued on 21-8-2019. We were told to follow up with Area Engineer XI – D 143 Madam Faridha of CMWSSB and get connection.

4) The AE, depot – 143, CMWSSB did an inspection of our Apartment complex on 29/8/19 and issued a letter to us on the same day asking as to do the following.

4.1. Meter Chamber for water connection to be constructed.

4.2. Rainwater Harvesting system (RWH) to be constructed.

4.3. Procure a water meter of 40 mm dia size.

We did all the three as above and a completed job report was submitted to AE, depot – 143, CMWSSB on 9/10/2019.

5) AE did a repeat inspection on the 11/10/2019 and verified the completion. She informed us that the connection will be given in next two days. Since this was not happening, I made an on line complaint, in the CMWSSB website on 16/10/2019 and again on 25/10/2019. Since daily follow-ups with AE, depot – 143 was not producing any result, I made a compliant in the E. mail ID of the MD, ED and SE (South West), CMWSSB on 29/10/2019. On 30.10.2019 at about 10.15 a.m Mr.S.Ganesh called Mrs.R.Vijayakumari on her mobile Number (8144930999) and sought her appointment. She agreed to meet us after 3.00 pm. I met her in her office at 4.30 pm along with Mr.S.Ganesh and Mr.Selvakumar (our co-resident). During our meeting we requested her to take action on our application, since we had already complied with all requirements set by CMWSSB. Even after long persuasion by us she demanded Rs. One lakh to her to take action on our application and to instruct the AE depot – 143 to give connection within a day.

6) Today (31.10.2019) at about 1.40 p.m Mr.S.Ganesh contacted Mrs.R.Vijayakumari over cell phone and asked about the status of the application, for which she again demanded Rs. 1 lakh and told us that she would contact again. At about 2.50 p.m today she called Mr.S.Ganesh again and insisted to pay Rs.1 lakh such a way Rs.50,000/- as advance for her and instructed as to give the remaining Rs.50,000/- to the Area Engineer once the file gets signed. We are unwilling to give

bribe to anyone. Therefore I request to take appropriate action against the officials who demanded bribe.

Sd/- Muraleedharan Paloran (Muraleedharan Paloran) 31/10/2019

Sir, Received this petition today (31.10.2019) at 4.00 pm. Informed to higher officials upon the permission given, a quiet and discreet verification was made and thereafter 1 registered this case in V& AC HQrs Cr.No: 22/2019 u/s 7 of the Prevention of Corruption (Amendment) Act, 2018 today at 5.30 pm.

Sd/- V.V.Geethanjali Addl. Superintendent of Police, Special Investigation Cell, Vigilance and Anti-Corruption, Alandur, Chennai – 16."

Got joldw 31/10/19 CV.V. GEETHANDALT)

Addl. Superintendent of Police, Special Investigation Cell, Vigilance & Anti - Corruption Alandur, Chennai - 16.