## FIRST INFORMATION REPORT

முதல் தகவல் அறிக்கை

(Under Section 154 Cr.P.C.) (கு.ந.வி.தொ.பிரிவு 154 இன் கீழ்)

**TAMIL NADU POLICE** INTEGRATED INVESTIGATION FORM-I

8110206

Chemai மாவட்டம்

PS Chemai City 111 Year: காவல்நிலையம்

ஆண்டு 🏒 🎾 முதஅ. என்

2. (i) Act FLLE prevention corruption Sections Ilflagar: 13(2) 2/w 13(1)(d (ii) Act #LLib: Act 1985

Sections Lift again: 4 PLAN-1955

(iii) Act சட்டம்:

Sections Liftagan: (Associated wolf)

(iv) Other Acts & Sections பிற சட்டங்களும், பிரிவுகளும் :

3. (a) Occurrence of Offence Day :

Date from : நாள் முதல்

Date to: நாள் வரை 22.06 2016

குற்ற நிகழ்வு நாள Time Period

நேர அளவு

Time to:

Time from : நேரம் முதல்

நேரம் வரை

(b) Information Received at PS. Date:

Time :

07:12 2020

காவல் நிலையத்திற்கு தகவல் கிடைத்த நாள்

நேரம்

09.12.2020 Time

Credible unferonation

(c) General Diary Reference : Entry No(s) பொது நாட்குறிப்பில் பதிவு விவரம் எண

4. Type of Information: Written/ Oral:

நேரம்

தகவலின் வகை : எழுத்து மூலம் / வாய் மொழியாக

Place of Occurrence (a) Direction and Distance from PS: குற்ற நிகழ்விடம் (அ) காவல்நிலையத்திலிருந்து எவ்வளவு தூரமும், எத்திசையும்

Beat Number :

(b) Address :

முறைக் காவல் எண்

முகவரி

3311 KV, Nanganellus Substation, Nanganellus

Chemai-061 South west. 3 KM

(c) In case outside limit of this Police Station, then the Name of P.S:

இக்காவல் நிலைய எல்லைக்கப்பால் நடந்து இருக்குமாயின், அந்நிலையில் அந்த கா.நி.பெயர் மாவட்டம்

Complainant /Informant (a) Name

TOK. SANKARASUBRAMANIAN (b) Father's/ Husband's Name KRISKA MOOR FIN

குற்றமுறையீட்டாளர்/ தகவல் தந்தவர் பெயர்

தந்தை / கணவர் பெயர்

(c) Date / Year of Birth: 1967

(d) Nationality : 100 (e) Passport No. நாட்டினம்

வெளிநாட்டு கடவுச்சீட்டு எண்

நாள் / பிறந்த ஆண்டு Date of Issue:

Place of Issue:

வழங்கப்பட்ட நாள்

வழங்கப்பட்ட இடம்

(f) Occupation: police Dept (g) Address: Deputy Superintendent of police Vere, chemanicity-ill standur, Cheman தொழில்

7. Details of Known/Suspected/Unknown accused with full particulars. (Attach separate sheet if necessary) தெரிந்த / ஐயப்பாட்டிற்குறிய / தெரியாத குற்றஞ்சாட்டப்பட்டவரின் முழுமையான விவரங்கள் (தேவையெனில் தனித்தாள் இணைக்கவும்)

> Tr. V. RAMAKRISHNAN, Pormerin Asst Executive Engineer, 3311/KV ovangarakur substation, cheman-bi (NOW executiv

- Particulars of properties stolen / involved (Attach separate sheet if necessary) களவாடப்பட்ட / களவிற்குள்ளான சொத்துக்களின் விவரம் (தேவையெனில் தனித் தாளில் இணைக்கவும்)
- 10. Total value of properties stolen / involved : களவாடப்பட்ட / களவிற்குள்ளான சொத்துக்களின் மொத்த மதிப்பு
- 11. Inquest Report / Un-natural death Case No. if any: பிண விசாரணை அறிக்கை / இயற்கைக்கு மாறான இறப்பு எண் ஏதேனும் இருந்தால்
- 12. FIR Contents (Attach separate sheet, if required): முதல் தகவல் அறிக்கையின் சுருக்கம். (தேவையெனில் தனித்தாளில் இணைக்கவும்)

Separate sheet

13. Action taken: Since the above report reveals commission of offence(s) u/s as mentioned at item No.2 registered the case and took up the investigation / directed Rank Discrete to take up the Investigation / Refused to take up the Investigation / Refused Investigation / transferred to PS... Year, et ... ... on point of jurisdiction.

எடுக்கப்பட்ட நடவடிக்கை : மேலே குற்ற முறையீட்டில் உள்ளவை பிரிவு 2ல் கூறப்பட்ட சட்ட பிரிவுப்படியான குற்றமாக வழக்கு பதிவு செய்து புலனாய்வுக்கு எடுத்துக்கொள்ளப்பட்டது / பணிக்கப்படுதல் ....................... பதவி ............... நிலை பணியாளரின் புலனாய்வுக்கு எடுத்துகொள்ள பணிக்கப்பட்டது / மறுக்கப்பட்டு எல்லையைக் கருதி புலனாய்வுக்கு ...... காவல் நிலையத்திற்கு மாற்றப்படுகிறது.

FIR read over to the Complainant / Informant, admitted to be correctly recorded and a copy given to the Complainant / மு.த.அ. குற்றமுறையீட்டாளருக்கு / தகவல் தந்தவருக்கு படித்துக்காட்டி, அது சரியாக எழுதப்பட்டு இருப்பதாக ஏற்றுக்

Signature / Thumb Impression of the Complainant / Informant குற்றமுறையீட்டாளர் / தகவல் கொடுப்பவரின் ஒப்பம் / பெருவிரல் இரேகைப் பதிவு

கொள்ளப்பட்டு, அதன் படி நகல் ஒன்று இலவசமாக கொடுக்கப்பட்டது.

15. Date & Time of despatch to the court: நீதிமன்றத்திற்கு அனுப்பப்பட்ட நாளும், நேரமும்

09.12.2020

GCP-240-34(Type-2) 90,000 Cps.-21.3.16(HCL-12)p.2

Signature of the Officer in-charge, Police Station காவல் நிலைய பொறுப்பு அலுவலரின் ஒப்பம்

நிழைவை

Vigilance and Anti-Corruption Chennai City-III

Alandur, Chennai 500 016

Chennai V&AC, Chennai City-III Crime No.5/AC/2020/CC-III FIR Continuation (Column -12):-

## Submitted:

..... On 09.12.2020 at about 18.00 hrs when I was in my office, (O/o the Deputy Superintendent of Police, Chennai City-III Detachment, Vigilance and Anti-Corruption, Chennai-16), as per the Memorandum in VR No.20220/2017/TANGEDCO/CC-III, dated 03.12.2020, I register an F.I.R. against Tr.V.Ramakrishnan, formerly Assistant Executive Engineer, TANGEDCO, 3311/KV, Nanganallur Sub Station, Nanganallur, Chennai-61 now Executive Engineer/Shift/NCTPS-II after getting approval from the Headquarters. The following details in the F.I.R is that, an credible information, the details were collected in respect of the involvement of Tr.V.Ramakrishnan, formerly Assistant Executive Engineer, TANGEDCO, 3311/KV, Nanganallur Sub Station, Nanganallur, Chennai-61 is a public servant u/s 2 (c) of PC Act 1988 involved in a criminal act which discloses the prima facie of offence under prevention of corruption Act 1988.

For issuing electricity connections to the Shopping Complexes, Multistoried and Special Buildings, Tamil Nadu Generation and Distribution Corporation Ltd, Technical Branch has issued a circular in memo No. CE/Comml/EE3/AEE2/F.Planning Permission/D.653/12 dated 03.12.2012 that insisting of planning permit and compliance certificate while affecting of electricity service connection in respect of multistoried and special buildings. Special buildings means: a) residential or commercial buildings with more than 2 floors; or b) residential building with more than six dwelling units; or c) commercial buildings, planning a floor area of 300 square meters. For these types of buildings, planning

permit and compliance certificate from the concerned department should be furnished before the Electricity Board for obtaining electricity connection by the building owner. Without getting these details, the concerned electricity authority who have powers for effecting the service connection should not be effected the service connection to that applicant. The reason for this plan permit and completion certificate is necessary for effecting electricity connections are: after obtained an electricity connection, applicants have constructed more stories of buildings beyond the plan of permit and used the same electricity service connections without any deposit for the further utilizations. One Tr. P.L. Arunachalam and Tr. A.R. Palaniappan, old No. 33, New No. 10, 4th Main Road, Nanganallur, Chennnai-61 has built a (ground and 3 floors) 300 square meter extended shopping complex at old No.33, New No. 10, 4th Main Road, Nanganallur, Chennnai-61. For that the building owners not obtained building completion certificate from CMDA. Meanwhile the said building owners applied for electricity service connections before the Accused Officer Tr.V.Ramakrishnan, Assistant Executive Engineer, TANGEDCO, 3311/KV/Nanganallur, Sub Station, Nanganallur, Chennai-61 without the building completion certificate. The accused officer instead of rejecting the application for want of building completion certificate, has given electricity connection to that building in service No. 244-184-478 for 44KW/3 on 22.06.2016 without obtaining the building's completion certificate and violated the memo issued by the TANGEDCO vide Memo No.CE/Comml/EE3/AEE2/F.Planning Permission/D.653/12 dt 03.12.2012 thereby misusing official capacity for his pecuniary advantage. For effecting this electricity service connection for the above applicant

without getting completion certificate, the Accused Officer received Rs. 3 lakhs as bribe from the applicant. The accused officer who indulged these type of serious violations i.e., building owners got building plan permit for a limited square feet, & stories to evade from corporation taxes, high tension electricity connections deposits, charges and erection of separate transformer if that building exceeds 900 sq.ft, for interest of private building rulers these type of corrupt officials made loss of income to TANGEDCO. The Accused Officer had indulged in so many cases like this instance case, only, for his pecuniary advantages and thereby violated the rules and regulations and made income loss to TANGEDCO. The constructed building area is exceeds 900 sq.ft, it is found, a heavy money loss occurred, to TANGEDCO, by the way avoiding High Tension Service Connection. The above act of the accused officer is liable to be punish u/s 13 (2) r/w 13(1) (d) of PC Act 1988. In this regard the Chairman-Cum-Managing Director/TANGEDCO, who is the Competent Authority to remove the official in Class-I Service, has approved the proposal as per the rule 17(A) (1) of the Prevention of Corruption (Amendment) Act, 2018 vide his letter No. 15586/A5/A51/2020-1, dt. 04.08.2020. In view of the above information I register a case in Chennai City-III Detachment of Vigilance and Anti-Corruption Police Station Crime No. 5/2020 u/s 13 (2) r/w 13(1) (d) of PC Act 1988 (Amended) 2018 and taken up for investigation. The original FIR is submitted to the Hon'ble Chief Judicial Magistrate cum Special Judge, Chengalpattu and a copy of the F.I.R to be sent to the Superintendent of Police, Central Range, Vigilance and Anti-Corruption, Chennai.

> Deputy Superintendent of Police Vigilance and Anti-Corruption Chennai City-III

Alandur, Chennai-600 016